| DATE: | neck | cre | ase |
|--|-----------------|--------------|-----------------|
| NAME: | 1000 | withers down | hook / pin bone |
| FREEZEMARK: | - Carlo | COLD | + |
| SIGNALMENT KEY: | rib area | | |
| HOOF CONDITION: | behind shoulder | | M. M |
| COMMENTS: | _ | M | 14 |
| | _ | | 4) |
| OVERALL LIENNEYS DODY CONDITION COORS. | | 5 5 | land |

OVERALL HENNEKE BODY CONDITION SCORE: modified from Henneke et al. EVJ 1983;15:371-372

| Condition | Neck | Withers | Shoulder | Ribs | Back | Tailhead Area | | |
|-------------------------------|---|---|---|---|--|--|--|--|
| 1 Poor (extremely | Bone structure easily noticeable | Bone structure easily noticeable | Bone structure easily noticeable | | Spinous processes projecting prominently | Tailhead, pinbones, and hook bones projecting prominently | | |
| emaciated) | No fatty tissue can be felt | | | | | | | |
| 2 Very Thin (emaciated) | Bone structure faintly discernible | Bone structure faintly discernible | Bone structure faintly discernible | Ribs prominent | Slight fat covering over base of spinous processes. Transverse processes of lumbar vertebrae feel rounded. Spinous processes are prominent | Tailhead prominent Pin bones prominent Hook bones prominent | | |
| 3 Thin | Neck accentuated | Withers accentuated | Shoulder accentuated | Slight fat cover over ribs. Ribs easily discernible | Fat buildup halfway on spinous processes, but easily discernible. Traverse processes cannot be felt | Tailhead prominent but individual vertebrae canno be visually identified. Hook bones appear rounded, but are still easily discernible. Pin bones not distinguishable | | |
| 4 Moderately Thin | Neck not obviously thin | Withers not obviously thin | Shoulder not obviously thin | Faint outline of ribs discernible | Negative crease (peaked appearance) along back | Prominence depends on conformation. Fat can be felt. Hook bones not discernible | | |
| 5 Moderate | Neck blends smoothly into body | Withers rounded over spinous processes | Shoulder blends smoothly into body | Ribs cannot be visually distinguished, but can be easily felt | Back is level | Fat around tailhead beginning to feel spongy | | |
| 6 Moderately Fleshy | Fat beginning to be deposited | Fat beginning to be deposited | Fat beginning to be deposited behind shoulder | Fat over ribs feels spongy | May have a slight positive crease (a groove) down back | Fat around tailhead feels soft | | |
| 7 Fleshy | Fat deposited along neck | | Fat deposited behind shoulder | Individual ribs can be felt, but noticeable fat filling between ribs | May have a positive crease down the back | Fat around tailhead is soft | | |
| 8 Fat | | Area along withers filled with fat | Area behind shoulder filled with fat | Difficult to feel ribs | Positive crease down the back | Fat around tailhead very soft | | |
| 9 Extremely Fat | Bulging fat | Bulging fat | Bulging fat | Patchy fat appearing over ribs | Obvious crease down the back Flank filled with fat | Bulging fat around tailhead | | |